OCEAN **RAINFOREST**

VOLUME

☐ 1 gal / 3.78 L

☐ 2.5 gal / 9.46 L

☐ ___ gal / ___ L

8.43 lb/gal @ 68°F

KELP **SHIELD**

A PLANT BIOSTIMULANT
derived from kelp that can support optimal plant performance



CONTAINS BENEFICIAL SUBSTANCE

Kelp extract 100%

REGISTERED cdfa ORGANIC INPUT MATERIAL

OMRI LISTED®

Guaranteed by:
Ocean Rainforest, Inc.
6710 Navigator Way
Goleta, California 93117 USA

Co-developed with AlgaMar

STOP AND READ
THE LABEL BEFORE USING THE PRODUCT

LEARN MORE AT
oceanrainforest.com

Lot No.:
Manufacture Date:
Expiration Date: 2 YEARS AFTER THE MANUFACTURE DATE

PRECAUTIONS AND WARNINGS

- Do not eat, drink, or smoke while using this product
- Do not transport or store next to food products
  Keep out of reach of children
- Wash hands after using the product and before eating
- Do not ingest and avoid contact with eyes and skin

FIRST AID

If there is accidental skin or eye contact with this product, wash or rinse with water. If ingested, drink abundant water. In case of a more severe reaction, see a doctor and bring the product label.

STORAGE AND TRANSPORT

The product must be transported and stored in its original container. Store the product in a ventilated, dry area that is protected from direct sunlight.

INSTRUCTIONS FOR USE

KELP SHIELD is a plant biostimulant made from seaweed, recommended for foliar application prior to or during periods of stress for the crops listed in the table. Kelp Shield is compatible with most fungicides, insecticides, bactericides, and fertilizers. In case of doubt, a "jar" compatibility test is suggested.

WARRANTY NOTICE:

As the use of the product extends beyond the control of OCEAN RAINFOREST, INC., the company is not liable for misuse of the product or for any damages that may occur if the recommendations stated on this label are not followed.

DOSAGE RECOMMENDATIONS

*Additional applications should be made immediately prior to or following stress events such as heat, cold, or drought

CROP	APPLICATION	DOSAGE
Citrus	Make 3 foliar applications with an interval of 7 days between each application, make the first application at the beginning of flowering (first flower buds). Use a volume of water of 100 gal/acre, after adjustment.	14-28 fluid ounces per acre
Avocado	Make 3 foliar applications with an interval of 7 days between each application, make the first application preventatively before observing stress and when the environmental conditions are favorable for the development of stress. Use a volume of water of 100 gal/acre, after adjustment.	14-28 fluid ounces per acre
Berries	Make 3 foliar applications with an interval of 7 days between them, carry out the first application when observing the first symptoms of stress and when the environmental conditions are favorable for the development of stress. It is recommended to use a volume of water of 80 gal/acre, after adjustment.	14-28 fluid ounces per acre
Onion	Make 3 foliar applications with an interval of 7 days between each application, make the first application preventatively before observing stress and when the environmental conditions are favorable for the development of stress. Use a volume of water of 60 gal/acre, after adjustment.	14-28 fluid ounces per acre
Tomato	Make 3 foliar applications with an interval of 7 days between each application, make the first application when observing the first symptoms of stress and when the environmental conditions are favorable for the development of stress. Use a volume of water of 50 gal/acre, after adjustment.	14-28 fluid ounces per acre

OCEAN
RAINFOREST

Contact your local dealer or advisor for specific use recommendations.